

Richard A. Smith
SMITH & LOWNEY, PLLC
2317 East John Street
Seattle, Washington 98112
(206) 860-2883

Attorneys for Plaintiffs

UNITED STATES DISTRICT COURT
WESTERN DISTRICT OF WASHINGTON
AT SEATTLE

SIERRA CLUB; and CENTER FOR)
ENVIRONMENTAL LAW AND)
POLICY,)

Plaintiffs,)

and)

THE SPOKANE TRIBE OF INDIANS,)

Plaintiff-Intervenor)

v.)

DENNIS McLERRAN;GINA)
MCCARTHY; and UNITED STATES)
ENVIRONMENTAL PROTECTION)
AGENCY)

Defendants,)

and)

SPOKANE COUNTY; KAISER)
ALUMINUM OF WASHINGTON LLC;)
and STATE OF WASHINGTON)
DEPARTMENT OF ECOLOGY,)

Defendant-Intervenors)

SECOND SUPPLEMENTAL COMPLAINT - 1
Case No. 11-CV-1759-BJR

Case No. 11-CV-1759-BJR

SECOND SUPPLEMENTAL
COMPLAINT

SMITH & LOWNEY, P.L.L.C.
2317 EAST JOHN STREET
SEATTLE, WASHINGTON 98112
(206) 860-2883

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29

I. INTRODUCTION

1. The claim asserted in this second supplemental complaint by plaintiffs Sierra Club and Center for Environmental Law & Policy is that defendant EPA’s administrative action in adopting “EPA’s Plan for Addressing PCBs in the Spokane River,” July 14, 2015, submitted in response to the March 16, 2015, order entered in this matter, is arbitrary and capricious, an abuse of discretion, and not in accordance with law. This claim is asserted under the Administrative Procedures Act, 5 U.S.C. § 701 – 706, and Plaintiffs seek declaratory relief, injunctive relief, and recovery of litigation expenses under Equal Access to Justice Act, 28 U.S.C. § 2412.

II. JURISDICTION AND VENUE

2. The Court has subject matter jurisdiction and the relief requested herein is authorized by 5 U.S.C. §§ 701 – 706, 28 U.S.C. § 1331, and 28 U.S.C. §§ 1346(a)(2) and 2412.

3. The office of defendants United States Environmental Protection Agency Region 10 and Dennis McLerran, its Administrator, is located in King County, Washington, within the Western District of Washington, and venue is therefore appropriate in the Western District of Washington pursuant to 28 U.S.C. § 1391.

III. PARTIES

4. Plaintiff Sierra Club is suing on behalf of itself and its member(s). Sierra Club is a national nonprofit organization of approximately 1.3 million members and supporters dedicated to exploring, enjoying, and protecting the wild places of the earth; to practicing and promoting the responsible use of the earth’s ecosystems and resources; to educating and enlisting humanity to protect and restore the quality of the natural and human environment; and to using all lawful means to carry out these objectives. Sierra Club’s concerns encompass water quality in the

1 Spokane River. The Club's particular interest in this case and the issues that this case concerns
2 stem from the Washington Department of Ecology's failure to prepare a water quality clean-up
3 plan to address toxic chemicals, PCBs, in the Spokane River and its tributaries, and the
4 challenged EPA action supporting that failure, thereby jeopardizing public health and the ability
5 of Sierra Club members to use and enjoy these waters. The Washington State Chapter of Sierra
6 Club has approximately 23,000 members.
7

8 5. Plaintiff Center for Environmental Law and Policy is suing on behalf of itself and
9 its member(s). Center for Environmental Law and Policy is a non-profit corporation organized
10 under the laws of the State of Washington. It was founded in 1993 to serve as a voice for public
11 interest water resource management and preservation in Washington State. It has been actively
12 engaged in advocacy and education to protect and restore water quality in the Columbia River
13 Basin, including the Spokane River system. It is a membership organization with members
14 across Washington, including members who use and enjoy the Spokane River.
15

16 6. Plaintiffs have representational standing to bring this action. The recreational,
17 economic, aesthetic and/or health interests of Plaintiffs and their member(s) have been, are
18 being, and will be adversely affected by the challenged action. The relief sought in this lawsuit
19 can redress the injuries to these interests.
20

21 7. Defendant Dennis McLerran is the Administrator of Region 10 of the United
22 States Environmental Protection Agency and is sued in his official capacity. Defendant
23 McLerran is responsible for the action of the United States Environmental Protection Agency
24 challenged in this lawsuit.
25

26 8. Defendant Gina McCarthy is the Administrator of the United States
27 Environmental Protection Agency and is sued in her official capacity. Defendant McCarthy is
28

1 responsible for the action of the United States Environmental Protection Agency challenged in
2 this lawsuit.

3 9. Defendant United States Environmental Protection Agency (“EPA”) is an agency
4 of the United States government charged with implementing the CWA.

5 **IV. FACTS**

6
7 10. The CWA requires the establishment of the total maximum daily load (“TMDL”)
8 for each waterbody that a state determines fails to meet water quality standards despite the
9 implementation of technology-based controls in National Pollutant Discharge Elimination
10 System (“NPDES”) permits. 33 U.S.C. § 1313(d)(1)(C).

11
12 11. EPA regulation defines TMDL:

13 The sum of the individual [waste load allocations (“WLAs”)] and [load
14 allocations (“LAs”)] for nonpoint sources and natural background. If a receiving
15 water has only one point source discharger, the TMDL is the sum of that point
16 source WLAs plus the LAs for any nonpoint sources of pollutant and natural
17 background sources, tributaries, or adjacent segments. TMDLs can be expressed
18 in terms of either mass per time, toxicity, or other appropriate measure. If Best
19 Management Practices (BMPs) or other nonpoint source pollution controls make
20 more stringent load allocations practicable then wasteload allocations can be
21 made less stringent. Thus, the TMDL process provides for nonpoint source
22 control tradeoffs.¹

23 12. A load allocation (“LA”) is

24 The portion of a receiving water’s loading capacity that is attributed either to one
25 of its existing or future nonpoint sources of pollution or to natural background
26 sources. Load allocations are best estimates of the loading, which may range from
27 reasonably accurate estimates to gross allotments, depending on the availability of
28 data and appropriate techniques for predicting the loading. Whenever possible,
29 natural and nonpoint source loads should be distinguished.²

13. A waste load allocation (“WLA”) is

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28 ¹ 40 C.F.R. § 130.3(i).

29 ² 40 C.F.R. § 130.3(g).

1 The portion of a receiving water’s loading capacity that is allocated to one of its
2 existing or future point sources of pollution. WLAs constitute a type of water
quality-based effluent limitation.³

3 14. “Loading capacity” is “[t]he greatest amount of loading that a water can receive
4 without violating water quality standards.”⁴

5 15. When a TMDL is developed for waters impaired by both point and nonpoint
6 sources, and the WLA is based on an assumption that nonpoint source load reductions will occur,
7 EPA’s 1991 *Guidance for Water Quality-based Decisions: The TMDL Process* (“EPA TMDL
8 *Guidance*”⁵) states that the TMDL should provide *reasonable assurances* that nonpoint source
9 control measures will achieve expected load reductions for the TMDL to be approvable.⁶ This
10 information is necessary for EPA to determine that the TMDL, including the load and wasteload
11 allocations, has been established at a level necessary to implement water quality standards.
12

13 16. Washington’s WQ Standards [WAC Ch. 173-201A], along with the Washington
14 Water Pollution Control Act [RCW Ch. 90.48], provide Ecology with the tools to fully
15 implement TMDLs, including the requirement that the state provide reasonable assurance that
16 nonpoint sources can be required to meet TMDL load allocations if the wasteload allocations
17 established for point sources depend on those nonpoint reductions being made in the TMDL
18 area.
19

20 21 17. The “precise figures” related to WLAs and LAs in a TMDL will be upheld in
22 court if they fall within a “zone of reasonableness,” regardless of uncertainty.⁷
23

24
25
26 ³ 40 C.F.R. § 130.3(h).

⁴ 40 C.F.R. § 130.3(f).

⁵ AR 47.

⁶ *Am. Farm Bureau Fed’n v. EPA*, 984 F.Supp.2d 289, 325 – 327 (M.D. Penn. 2013) (discussing reasonable
assurances requirement for LAs); AR 47 at 973.

⁷ *Upper Blackstone Water Pollution Abatement Dist. v. EPA*, 690 F.3d 9, at 28 – 29 (1st Cir. 2012).;

Dioxin/Organochlorine Ctr. v. Rasmussen, 1993 U.S. Dist. LEXIS 15595, 16 (W.D. Wash. 1993), *aff’d*,

1 18. In December 2011, EPA issued its “*PCB TMDL Handbook*” to assist specifically
2 in PCB TMDL development by identifying different approaches that have been successfully
3 used, and “to address how to develop PCB TMDLs that account for all sources of PCB
4 contamination (including ‘passive’ sources such as landfills in which PCBs are contaminating
5 the soil).” It describes three levels of modeling approaches to develop PCB TMDLs, and
6 recognizes that estimation of loadings (consistent with the explicit language of 40 C.F.R.
7 §130.2(g)) should be based on “the most recent and best available data.” This comports with the
8 absence in the CWA and EPA’s regulations of permission to delay a TMDL “until better science
9 can be developed, even where there is some uncertainty in the existing data.”⁸ An agency may
10 not “avoid its statutory obligation by noting the [presence of] uncertainty.”⁹

13 19. The 2011 *PCB TMDL Handbook* endorses the “adaptive implementation”
14 approach to TMDLs, which it defines as “an iterative implementation process that makes
15 progress toward achieving water quality goals while using any new data and information to
16 reduce uncertainty and adjust implementation activities.”

18 20. Adaptive implementation TMDLs are particularly appropriate where (as is the
19 case for PCBs in the Spokane River) non-point rather than point source pollution dominates, for
20 complex problems, and where narrative criteria (i.e., impairment of designated uses, such as
21 evidenced in the Spokane River by the Washington Department of Health determination that
22 ingestion of fish from the river presents a *human health hazard* and its imposition of fish
23

26

Dioxin/Organochlorine Ctr. v. Clark, 57 F.3d 1517 (9th Cir. 1995) (citing *Hercules, Inc. v. EPA*, 598 F.2d 91, 96
27 (D.C. Cir. 1978)).

28 ⁸ *Upper Blackstone*, 690 F.3d 9, 22. “The Act’s goal of ‘elimint[ing]’ the discharge of pollutants by 1985
underscores the importance of making progress on the available data. *Upper Blackstone*, 690 F.3d at 22 (quoting 33
29 U.S.C. § 1251(a)(1)).

⁹ *Id.*, 690 F.3d at 23 (quoting *Massachusetts v. EPA*, 549 U.S. 497, 534 (2007)).

1 consumption advisories¹⁰) are involved. Consistent with TMDL regulations, the *PCB TMDL*
 2 *Handbook* expressly endorses estimation of source contributions in TMDL development.¹¹

3 21. “The Spokane River has the worst PCB contamination in the state and has been
 4 subject to a Spokane County and Washington Department of Health fish consumption advisory
 5 since 1994 and 2003, respectively.”¹² The most current 303(d) lists, for 2008 and 2010, identify
 6 fifteen segments of the Spokane River that exceed fish tissue standards derived from the National
 7 Toxics Rule’s 0.00017 ug/L (170 pg/L) total PCB human health criteria, which applies in
 8 Washington waters.¹³ Some of these segments have been 303(d)-listed since 1996.¹⁴ Monitoring
 9 indicates that the PCB contamination problem is worst in downstream sections of the river where
 10 it crosses the territory of the Spokane Tribe of Indians.¹⁵

13 22. Under the CWA “treatment as a state” provisions, EPA approved the Spokane
 14 Tribe’s human health water quality criteria in 2013.¹⁶ “The Tribe’s water quality criterion for
 15 total PCBs is 1.3 pg/L. This criterion is more than two orders of magnitude lower than the
 16 current Washington criterion and is probably the lowest PCB criterion in the county.”¹⁷ Such
 17 stringency is warranted as the Tribe considers the danger to human health presented by Spokane
 18 River fish consumption to impair its fishing rights.¹⁸ “Because the primary way by which people
 19 are exposed to PCBs is through the consumption of contaminated fish and/or shellfish (in which
 20
 21
 22
 23

24 ¹⁰ AR 15 at 97; AR Supp. 5; AR Supp. 7 at 2950 – 2951.

25 ¹¹ 40 C.F.R. §§ 130.2(g) and 130.7(c)(1)(i) (In developing a TMDL, “[s]ite specific information should be used
 wherever possible.” (emphasis added)).

26 ¹² Dkt. 120 at 4.

27 ¹³ *Id.*

28 ¹⁴ *Id.*

29 ¹⁵ AR 15 at 73 and 163.

¹⁶ Dkt. 129-1 at 4.

¹⁷ *Id.*

¹⁸ AR 81 at 1285; AR 85 at 1298 – 1299.

1 PCBs may have bioaccumulated in tissue), assumptions about average fish consumption rates
2 affect the derivation of concentrations in water quality standards.”¹⁹

3 23. PCBs have a limited solubility in water. Because PCBs are hydrophobic
4 compounds, they tend to bind to sediments and organic particulate matter, which in turn may
5 enter the food chain rather than remain in the water column. Although background levels for
6 water column measurements can be in the parts per quadrillion range, the sediments in which
7 PCBs tend to accumulate can often have levels two to three orders of magnitude higher.²⁰

9 24. Significant sources of PCBs in the Spokane River include effluents from
10 municipal, industrial, and stormwater point source dischargers, and contamination originating in
11 Idaho and the tributary Little Spokane River.²¹ Estimated PCB loadings from five of the six
12 most significant NPDES-permitted point sources on the river downstream of the Idaho state line
13 are as follows: Liberty Lake Sewer & Water District (“Liberty Lake STP”) (2.9 milligrams per
14 day (mg/d)), City of Spokane’s Riverside Park Water Reclamation Facility (“Spokane Riverside
15 STP”) (194 mg/d), Kaiser Aluminum Fabricated Products, LLC (65 mg/d), Inland Empire Paper
16 (45 mg/d), and City of Spokane stormwater (691 mg/d).²²

19 25. NPDES permits for these discharges, issued by Ecology, include requirements to
20 participate in the Spokane Regional Toxics Task Force (“SRTTF” or “Task Force”) in lieu of
21 numeric water quality-based effluent limitations (“WQBELs”).²³ Ecology justified the omission
22 of PCB WQBELs by noting that its 2006 draft Spokane River PCB TMDL had not been
23
24
25
26

27 ¹⁹ Dkt. 129-1 at 3 – 4.

²⁰ Dkt. 129-1 at 2 – 3 (footnote omitted).

²¹ AR 15 at 155.

²² AR 15 at 156 – 157; AR 104 at 2348; AR 96 at 1752; AR 92 at 1509.

²³ AR 91 at 1482 – 1485; AR 95 at 1695; AR 98 at 1903 – 1905; AR 103 at 2319.

1 finalized, so there are no WLAs to convert to effluent limitations.²⁴ In Plaintiffs' separate
2 challenge of the NPDES permit for the SCRWRF, the Washington Pollution Control Hearings
3 Board found that provisions substantially identical to those found in each of these permits are
4 inadequate to ensure against violations of PCB-related water quality standards as the CWA
5 requires.²⁵

6
7 26. Loadings from Idaho and the Little Spokane River are estimated at 477 and 97
8 mg/d, respectively.²⁶ Point source contributors of pollutants to the river upstream in Idaho are
9 directly regulated by EPA, and include the City of Coeur d'Alene, Hayden Area Regional Sewer
10 Board, and the City of Post Falls.²⁷

11
12 27. EPA and Ecology have agreed that "[w]here Washington is engaged in a TMDL
13 that has cross border issues EPA will provide the leadership for bringing those issues to
14 resolution."²⁸

15
16 28. By order dated March 16, 2015, the Court granted in part Plaintiffs' summary
17 judgment motion, finding arbitrary, capricious, and contrary to law EPA's agency action
18 condoning Ecology's approach to Spokane River PCB cleanup and finding no TMDL
19 constructive submission.²⁹ The order remanded the matter to EPA

20 with directions to consult with Ecology and file herein, within 120 days of the
21 date of this order, a complete and duly adopted reasonable schedule for the
22 measuring and completion of the work of the Task Force, including quantifiable
23 benchmarks, plans for acquiring missing scientific information, deadlines for
24 completed scientific studies, concrete permitting recommendations for the

25 ²⁴ AR 92 at 1521; AR 93 at 1645 and 1650; AR 97 at 1842 and 1847; AR 104 at 2402.

26 ²⁵ *Sierra Club, et al. v. Ecology, et al.*, PCHB No. 11-184 (Findings of Fact, Conclusions of Law, and Order, July
27 19, 2013), *aff'd*, Thurston County Superior Court No. 13-2-01995-4, Jan. 9, 2015, *review pending* Washington State
28 Court of Appeals No. 47158-2-II.

29 ²⁶ AR 15 at 160 - 163.

²⁷ AR 50; AR 51; AR 57; AR 58; AR 101 at 2071.

²⁸ AR 46 at 924; *see also* AR 58 (discussing need to coordinate PCB-related NPDES conditions between EPA-
regulated Idaho permittees and Ecology-regulated Washington permittees).

²⁹ Dkt. 120.

1 interim, specific standards upon which to judge the Task Force’s effectiveness,
2 and a definite endpoint at which time Ecology must pursue and finalize its
TMDL³⁰

3 29. On July 14, 2015, EPA submitted EPA’s Plan in response to this order.³¹ EPA’s
4 Plan, challenged by this action, comprises background information on Spokane River PCBs and
5 the SRTTF, a schedule intended to satisfy the remand order, and interim NPDES permitting
6 recommendations.³²

7
8 30. Identified prominently among the SRTTF’s activities by EPA’s Plan is a
9 monitoring and evaluation project to complete an ongoing PCB “source characterization and
10 quantification” effort, expected to be completed a year after its December 2016 target.³³ This
11 effort “should enable closure of one of the data gaps previously identified as the highest priority
12 – source identification.”³⁴ In addition, the SRTTF and its members have taken various “actions to
13 identify and reduce diffuse sources of PCBs that impact stormwater.”³⁵ The Task Force’s
14 assessment of potential best management practices (“BMPs”) for PCB control will assertedly be
15 completed by December 2016.³⁶

16
17
18 31. The initial section of EPA’s Plan also discusses the requirement imposed by the
19 Spokane River Dissolved Oxygen TMDL (“D.O. TMDL”) on Spokane River point source
20 dischargers to attain phosphorous reductions by installing “advanced solids-removal treatment
21 technology that will remove substantial quantities of PCBs” as PCBs “are generally found
22 adhering to solids.”³⁷ Allowing time for this treatment technology, along with the assertedly
23
24

25 ³⁰ *Id* at 24 – 25.

26 ³¹ Dkt. 129-1.

27 ³² Dkt. 129-1.

28 ³³ *Id* at 9 - 10.

29 ³⁴ *Id.* at 10.

³⁵ *Id* at 9.

³⁶ *Id* at 10.

³⁷ *Id* at 5 – 6.

1 needed “time for Ecology and the Task Force to conduct and analyze the monitoring data that is
2 expected to describe the new share of the load attributable to point sources,” is EPA’s primary
3 justification to defer “immediate initiation of a TMDL.”³⁸ But this specific monitoring and
4 analysis is nowhere else discussed by EPA’s Plan, much less scheduled.

5
6 32. The other justifications posited by EPA are the likelihood of changes to
7 Washington’s applicable water quality standards, and a concern that prompt TMDL development
8 would “eliminate the incentive for Task Force members to continue to work together to address
9 sources for which they are not responsible.”³⁹

10
11 33. EPA’s Plan prefaces its actual schedule portion by asserting that it lacks the
12 authority to establish a legally enforceable schedule for the Task Force or Washington State’s
13 submission of the PCB TMDL.⁴⁰ “EPA has not relied on [the regulation referenced by the
14 Court’s order] as the basis for this schedule, but rather has developed this schedule for the
15 [defendant-intervenor] State’s initiation and completion of a PCB TMDL in response to the
16 Court’s remand instructions.”⁴¹

17
18 34. The schedule in EPA’s Plan includes four milestones towards the possible
19 submission of a PCB TMDL, each identifying a date by which, if certain thresholds are not met,
20 a 2.5 year (approximate) TMDL development process by Ecology must begin, ending with
21 submission to EPA of the proposed TMDL.⁴² By the first date, December 31, 2016, the SRTTF
22 must complete a comprehensive plan summarizing available PCB data, listing and estimating
23 identified sources of PCBs “with estimates of current loadings,” identification of possible and
24

25
26
27 ³⁸ *Id* at 12.

³⁹ *Id* at 13.

⁴⁰ *Id* at 11.

⁴¹ *Id*.

⁴² *Id* at 11 – 12.

1 recommended BMPs to control PCBs, and “[r]ecommendations for future studies to address
2 remaining data gaps.”⁴³ By the second date, December 15, 2020, to again defer the PCB TMDL,
3 EPA must determine by July 15, 2021, that the “annual central tendency of the preceding year”
4 meets an instream concentration of 200 pg/L PCBs.⁴⁴ By the third date, December 15, 2024,
5 EPA must determine by July 15, 2025, that instream concentration of PCBs meets 170 pg/L
6 based on the annual central tendency of the preceding year.⁴⁵ By the fourth and final date,
7 December 15, 2027, EPA must determine by July 15, 2028, the “applicable water quality
8 standards for PCBs are met and the Spokane River and adjacent segments are no longer included
9 on Washington’s 303(d) list ...” or the PCB TMDL must be submitted for EPA’s approval by
10 July 15, 2030.⁴⁶

13 35. EPA’s plan, in its delay of the TMDL for nonsensical reasons, is inconsistent with
14 the CWA and its implementing regulations and finds no support in reason or agency guidance.

16 36. According to EPA (and Ecology) guidance, the water quality-based approach
17 required by 33 U.S.C. §1313 and 40 C.F.R. § 130 involves the following sequence of steps: (1)
18 identification of water quality-limited waters still requiring TMDLs (i.e., the 303(d) list), (2)
19 priority ranking and targeting, (3) TMDL development, (4) implementation of control actions,
20 and (5) assessment of water quality-based control actions.⁴⁷ EPA’s Plan would take TMDL
21 development, step 3, and put it last.

23 37. According to the explanation in EPA’s Plan, information about the efficacy of
24 Spokane River dischargers’ phosphorus-reduction treatment technology, required under NPDES
25

26 ⁴³ *Id* at 11.

27 ⁴⁴ *Id*.

28 ⁴⁵ *Id* at 12.

29 ⁴⁶ *Id*.

⁴⁷ 1991 TMDL Guidance AR 47 at 967 – 968.

1 conditions to meet the D.O. TMDL WLAs by 2024, will be “extremely relevant to the
 2 development of a TMDL.”⁴⁸ Not only is the assertion about the relevancy of this information
 3 new – it was not a basis for defendant arguments in the previous phase of this litigation⁴⁹ - but it
 4 ignores the target-setting function of WLAs incorporated into NPDES permits as numeric
 5 WQBELs. EPA’s Plan nowhere explains how or when this purportedly “extremely relevant”
 6 information would be collected or used.

8 38. Nowhere in any agency’s TMDL or water quality-based approach guidance is
 9 there any support for the approach offered by EPA’s Plan. Nowhere in the guidance does EPA at
 10 all suggest that it is appropriate – or possibly consistent with the 33 U.S.C. § 1313 TMDL
 11 mandate – to wait for dischargers’ technological improvements before establishing WLAs and
 12 TMDLs, much less technological improvements focused on an entirely different pollution
 13 problem. Instead, the guidance consistently posits that an adaptive implementation phased
 14 TMDL should come first and then be modified, in its implementation measures, WLAs, LAs,
 15 and other respects, as appropriate based on such subsequent information.

18 39. The rationale of EPA’s Plan that delay in adoption of a Spokane River PCB
 19 TMDL is warranted because “it is very likely that applicable water quality standards will
 20 change” is entirely spurious.⁵⁰ Water quality standards, by design, are regularly reviewed no less
 21 frequently than every three years, and required to be updated when necessary.⁵¹ Waiting for the
 22
 23
 24
 25

⁴⁸ Dkt. 129-1 at 12.

⁴⁹ The precise information gaps cited by Defendants in briefing on the previous round of cross-summary judgment motions include only the amount of PCB loadings from storm water sources, identification of the sources of loadings to storm and sanitary sewer systems, information on Idaho and tributary sources, and identification of unknown sources. Dkt. 91 at 14 – 17; Dkt. 93 at 7 – 8; AR 32 at 2671 – 2672.

⁵⁰ Dkt. 129-1 at 13.

⁵¹ 40 C.F.R. § 131.20.

1 “end” of these changes before adoption of a TMDL or other aspects of the CWA’s water quality-
2 based approach would frustrate the Act.

3 40. Ecology has the legal authority adequate to provide “reasonable assurance” that
4 nonpoint source controls will be implemented toward attainment of LAs.

5 41. Under EPA’s Plan, these controls are instead voluntarily undertaken by
6 dischargers, along with various monitoring activities, in the context of the Task Force. The
7 development of a TMDL need not mean the end of the Task Force’s efforts or of nonpoint source
8 controls. Indeed, the Task Force appears well positioned to serve as the collaborative stakeholder
9 process necessary for an adaptive implementation TMDL approach. Dischargers could still be
10 required to participate in the Task Force to comply with NPDES permit conditions as they are
11 now. To the extent that efficacy of voluntary Task Force efforts could be reduced if dischargers
12 lose incentive to voluntarily participate, Ecology should be able to compensate through the legal
13 tools available to it to provide “reasonable assurance” that the TMDL be implemented, and
14 through “nonpoint source control tradeoffs” facilitated by the TMDL and state regulation.⁵²
15 Thus, a desire to continue the work of the Task Force and the nonpoint source control efforts
16 currently planned or underway is no reason to delay the TMDL.
17

18 42. Under EPA’s Plan, Ecology’s submission of the PCB TMDL for the Spokane
19 River can be postponed beyond 2023 if specified benchmarks are met.⁵³ These benchmarks are
20 described as instream concentration of PCBs meeting 200 and then 170 pg/L “based on the
21 annual central tendency of the preceding year.”⁵⁴
22
23
24
25
26
27

28 ⁵² 40 C.F.R. §130.3(i) (defining TMDL); WAC 173-201A-450.

⁵³ Dkt. 129-1 at 11 – 12.

⁵⁴ *Id.*

1 43. There are two major problems with these benchmarks – they exclude
2 consideration of the more important and relevant environmental metrics sediment and tissue PCB
3 concentrations and they are vague.

4 44. In addition to overlooking the significance of the more direct relationship between
5 sediment and tissue contamination and non-attainment of PCB criteria, EPA’s Plan’s
6 benchmarks are somewhat ambiguous and may already be actually attained, defeating their
7 purpose as measures of progress.

8 45. EPA’s Plan clarifies that EPA does not believe that it has the legal authority to
9 implement the plan by requiring TMDL submission.⁵⁵ Unless the Court retains jurisdiction to see
10 the plan for the TMDL implemented, the whole matter, EPA seems to believe, is thrown back to
11 the state’s discretion regardless of any plan that EPA may adopt.

12
13
14 **V. CAUSE OF ACTION**

15 46. The preceding paragraphs are incorporated herein.

16 47. Under the APA, a reviewing court is to set aside any agency action found to be
17 “arbitrary, capricious, an abuse of discretion, or otherwise not in accordance with law.” 5 U.S.C.
18 § 706(2). The court has broad authority to issue injunctive relief to allow enforcement of the
19 CWA.
20

21 48. EPA’s Plan is arbitrary, capricious, an abuse of discretion, or otherwise not in
22 accordance with the CWA.
23

24 **VI. RELIEF REQUESTED**

25 Wherefore, Plaintiffs respectfully request that this Court grant the following relief:
26
27

28 ⁵⁵ Dkt. 129-1 at 11 (EPA regulations do “not authorize EPA to establish a legally enforceable schedule for State
29 submissions of TMDLs or for work by an independent task force.”).

1 A. Issue a declaratory judgment that EPA's Plan is arbitrary and capricious, an abuse
2 of discretion, and inconsistent with the law;

3 B. Vacate and remand EPA's Plan with specific instructions for its reformulation and
4 reissuance;

5 C. Retain jurisdiction to see EPA's Plan through to finalization of the Spokane River
6 PCB TMDL;

7 D. Award Plaintiff their litigation expenses, including reasonable attorneys' and
8 expert witness fees under EAJA, 28 U.S.C. § 2412, and
9

10 E. Award such other relief as this Court deems appropriate.
11

12
13 RESPECTFULLY SUBMITTED this 2nd day of June, 2016.

14 **SMITH & LOWNEY, PLLC**

15
16 By: s/Richard A. Smith
17 Richard A. Smith, WSBA #21788
18 Attorneys for Plaintiff
19 2317 E. John St.,
20 Seattle, WA 98112
21 Tel: (206) 860-2124
22 Fax: (206) 860-4187
23 E-mail: rasmithwa@igc.org
24
25
26
27
28
29